

## S1100 SERVER SERIES

### Entry Level Server

The Seneca S1100 server, powered by the Intel® Xeon® Processor E3 V6, is designed to be a cost-effective, single-socket solution that has simple setup and deployment. The S1100 makes an ideal first server for small- and medium-sized businesses for use as a: domain controller, web server, file server or even a single business application server, the S1100 Series is an ideal platform.



### CAPACITY AND CAPABILITY

With storage up to 40TB and memory count as high as 64GB, computing needs are met with the S1100 without sacrificing speed and energy efficiency. The Intel® Xeon® Processor E3 V6 is built for all day, every day reliability. Intel also uses the latest Turbo Boost technology to maximize processor and graphic workloads.

### KEY FEATURES

- Intel® Xeon® Processor E3 V6
- 24/7 Reliability
- Two tower chassis designs; 1U rackmount or 4U pedestal
- Basic redundancy to complex RAID builds with cache protection options

---

Perfect Server to handle basic windows server tasks.

- Active Directory
- Print Server
- DNS Server



# SENECA S1100 SERVER SERIES

P/N: S1100SERIES

## SYSTEM

<b>Processor</b>	Intel® Xeon® Processor E3-1200 V6
<b>Operating System</b>	Windows Server 2016 Windows Server 2012 R2
<b>Processor Sockets</b>	1
<b>Chipset</b>	Intel® C232 / 236
<b>Memory</b>	Up to 64GB DDR4 2400MHz
<b>Storage</b>	Up to 40TB SATA
<b>Optical Drive</b>	Optional
<b>Graphics</b>	Onboard Intel Graphics
<b>Networking</b>	2 × Intel® Gigabit
<b>Remote Management</b>	Optional
<b>RAID</b>	Operating System: RAID 1 DATA RAID Level: 0, 1, 5, 6, 10
<b>Warranty</b>	3 Year Depot Warranty Optional Onsite and 5 Year Options

## MECHANICAL

<b>Form Factor</b>	1U Rackmount	4U Pedestal
<b>OS Drive Bay</b>	NA	NA
<b>Data Drive Bays</b>	4 X 3.5" Hot-swap SATA	4 X 3.5" Fixed or Hot-swap SATA
<b>Maximum Storage</b>	40TB	40TB
<b>Power Supply</b>	350W Fixed or 450W Redundant	365W Fixed or 460W Redundant
<b>Total Slots</b>	1	3
<b>Slot Types</b>	1 × PCI Express® 3.0 × 8 slot (Low Profile)	1 × PCI Express® 3.0 × 8 slot (x16 mechanical) 1 × PCI Express® 3.0 × 8 slot (x8 mechanical) 1 × PCI Express® 3.0 × 4 slot (x8 mechanical)
<b>System Cooling</b>	3 Fixed Mid Fans	1 Rear Chassis Fan
<b>Dimensions (w x h x d)</b>	17.24 × 1.75 × 21.8 inches 438 × 445 × 553 millimeter	6.81 × 17.24 × 21.5 inches 173 × 438 × 546 millimeters



4U PEDESTAL



1U RACKMOUNT



**ARROW**  
Five Years Out

**Arrow Electronics, Inc.**  
6040 Tarbell Road | Syracuse, NY 13206  
p: 800.227.3432 | www.senecadata.com