

S1100 SERVER SERIES

Entry Level Server

The Seneca S1100 server, powered by the Intel® Xeon® Processor E3 V6, is designed to be a cost-effective, single-socket solution that has simple setup and deployment. The S1100 makes an ideal first server for small- and medium-sized businesses for use as a: domain controller, web server, file server or even a single business application server, the S1100 Series is an ideal platform.



CAPACITY AND CAPABILITY


With storage up to 40TB and memory count as high as 64GB, computing needs are met with the S1100 without sacrificing speed and energy efficiency. The Intel® Xeon® Processor E3 V6 is built for all day, every day reliability. Intel also uses the latest Turbo Boost technology to maximize processor and graphic workloads.

KEY FEATURES

- Intel® Xeon® Processor E3 V6
- 24/7 Reliability
- Two tower chassis designs; 1U rackmount or 4U pedestal
- Basic redundancy to complex RAID builds with cache protection options

Perfect Server to handle basic windows server tasks.

- Active Directory
- Print Server
- DNS Server



SENECA S1100 SERVER SERIES

P/N: S1100SERIES

SYSTEM

Processor	Intel® Xeon® Processor E3-1200 V6
Operating System	Windows Server 2016 Windows Server 2012 R2
Processor Sockets	1
Chipset	Intel® C232 / 236
Memory	Up to 64GB DDR4 2400MHz
Storage	Up to 40TB SATA
Optical Drive	Optional
Graphics	Onboard Intel Graphics
Networking	2 × Intel® Gigabit
Remote Management	Optional
RAID	Operating System: RAID 1 DATA RAID Level: 0, 1, 5, 6, 10
Warranty	3 Year Depot Warranty Optional Onsite and 5 Year Options

MECHANICAL

Form Factor	1U Rackmount	4U Pedestal
OS Drive Bay	NA	NA
Data Drive Bays	4 X 3.5" Hot-swap SATA	4 X 3.5" Fixed or Hot-swap SATA
Maximum Storage	40TB	40TB
Power Supply	350W Fixed or 450W Redundant	365W Fixed or 460W Redundant
Total Slots	1	3
Slot Types	1 × PCI Express® 3.0 × 8 slot (Low Profile)	1 × PCI Express® 3.0 × 8 slot (x16 mechanical) 1 × PCI Express® 3.0 × 8 slot (x8 mechanical) 1 × PCI Express® 3.0 × 4 slot (x8 mechanical)
System Cooling	3 Fixed Mid Fans	1 Rear Chassis Fan
Dimensions (w x h x d)	17.24 × 1.75 × 21.8 inches 438 × 445 × 553 millimeter	6.81 × 17.24 × 21.5 inches 173 × 438 × 546 millimeters



4U PEDESTAL



1U RACKMOUNT



ARROW
Five Years Out

Arrow Electronics, Inc.
6040 Tarbell Road | Syracuse, NY 13206
p: 800.227.3432 | www.senecadata.com