

XCONNECT CLIENT **SETUP GUIDE**

V1.1

This guide will assist in the installation and configuration of the xConnect Standard and Corporate Clients.

xConnect Standard

Provides 1-to-1 server monitoring to provide a high level status of your XNVR hardware that is enabled with the xConnect Server software.

xConnect Corporate


Provides monitoring of multiple XNVR servers that are enabled with the xConnect Server software as well as up/down status of any IPv4 enabled network devices.

xConnect Standard


1. Double-click the xConnect Client Setup.exe file and proceed through the installation steps.
2. Once installed, open the xConnect Client via the desktop shortcut:




3. Upon first launch, you will be presented with a license key dialog. For the Standard version, click “Use Standard Version”:




4. Enter the IP address of the xConnect Server you wish to monitor:



5. The client widget will launch and be present in your system tray:



6. Double clicking the status bubbles (green or red) will open up a web browser to the xConnect Server Web Client and display additional details about your NVR Server:




xConnect Corporate


1. Double-click the xConnect Client Setup.exe file and proceed through the installation steps.
2. Once installed, open the xConnect Client via the desktop shortcut:



3. Upon first launch, you will be presented with a license key dialog. For the Corporate Version, enter your license key and click "Activate Corporate":



4. Click the icon (+) to add servers or devices to monitor:







IP Address: Enter the IP Address of the server you wish to monitor. A hostname is also acceptable in this field


Friendly Name: How the device will appear on the device list

Device Type: XNVR (when monitoring an XNVR with xConnect Server Agent installed) or Network Device when monitoring any IP enabled device

Interface Status Indicators

ICON	DESCRIPTION
	Indicates item being monitored is performing as expected and returning no events
	System or Device is unreachable or offline
	Indicates item being monitoring is reporting an event/error (Double click the icon for detailed info)
	Not applicable metric for the device type being monitored

Corporate Client Diagram



1. Device Type icon and Device Friendly Name
2. Category Name and Overall Category Status
3. Monitoring Active (Un-check to disable monitoring if known maintenance is occurring)
4. Remove device from device list
5. System or Device is unreachable or offline
6. Hovering over a failure bubble will present a tooltip with a brief error description
7. Gray bubbles indicate a non-applicable category for a network device
8. Add device dialog
9. Export Device List
10. Import Device List
11. Push e-mail settings to each xConnect Server in Device List
12. Event log (Compilation of events from all devices in Device List)
13. Application Settings